



Safety Data Sheet

Blossom Urinal Screen

SECTION 1. IDENTIFICATION

Product Identifier	Palmer Fixture Blossom Urinal Screen
Other Means of Identification	PA0101, PA0102, PA0103, PA0104, PA0105, PA0106, PA0107, PA0108, PA0109
Other Identification	3 in 1 screen
Product Family	Restroom Odor Counteractant
Recommended Use	Restroom Odor Counteractant.
Restrictions on Use	None known.
Manufacturer	Big D Industries, Inc., 5620 SW 29th St, Oklahoma City, OK, 73179, 405 682 2541, BigDInd.com
Emergency Phone No.	InfoTrac, 800 535 5053, 24hr
SDS No.	0889
Date of Preparation	March 16, 2021

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not classified under any GHS hazard classes.

GHS Label Elements

Not applicable

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
2-Propenoic acid, methyl ester, polymer with ethene	25103-74-6	60-80	
Fragrance	No CAS	15-40	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Call a Poison Centre or doctor if you feel unwell or are concerned.

Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes.

Eye Contact

Rinse the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open.

Ingestion

Rinse mouth with water. Call a Poison Centre or doctor if you feel unwell or are concerned.

Product Identifier:	Palmer Fixture Blossom Urinal Screen
SDS No.:	0889
Date of Preparation:	March 16, 2021

Most Important Symptoms and Effects, Acute and Delayed

If inhaled:

Can irritate the nose and throat.

If on skin:

May cause mild irritation.

Immediate Medical Attention and Special Treatment

Medical Conditions Aggravated by Exposure

Asthma.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Can ignite if strongly heated.

This product presents no unusual hazards in a fire situation.

Very toxic carbon monoxide, carbon dioxide.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

No special precautions are necessary.

Environmental Precautions

No special precautions are necessary.

Methods and Materials for Containment and Cleaning Up

No special clean-up methods are necessary.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

No special handling precautions are necessary.

Conditions for Safe Storage

No special requirements for storage area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Not available.

Appropriate Engineering Controls

The hazard potential of this product is relatively low. General ventilation is usually adequate.

Individual Protection Measures

Eye/Face Protection

Not required if product is used as directed.

Skin Protection

Not required, if used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product Identifier: Palmer Fixture Blossom Urinal Screen

SDS No.: 0889

Date of Preparation: March 16, 2021

Basic Physical and Chemical Properties

Appearance	Dark. Particle Size: Not applicable
Odour	Fragrant
Odour Threshold	Not available
pH	Not applicable
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	Not available
Solubility	Insoluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not applicable
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic); Not available (dynamic)
Other Information	
Physical State	Solid
Molecular Formula	Not applicable
Molecular Weight	Not applicable
Bulk Density	Not available
Surface Tension	Not available
Critical Temperature	Not available
Electrical Conductivity	Not available
Vapour Pressure at 50 deg C	Not available
Saturated Vapour Concentration	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

None known.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

Very toxic carbon monoxide, carbon dioxide.

Product Identifier: Palmer Fixture Blossom Urinal Screen
SDS No.: 0889
Date of Preparation: March 16, 2021

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact.

Acute Toxicity

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

Skin Corrosion/Irritation

No information was located.

Serious Eye Damage/Irritation

No information was located.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

No information was located.

Skin Absorption

No information was located.

Ingestion

No information was located.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Not specifically evaluated.

Reproductive Toxicity

Development of Offspring

No information was located.

Sexual Function and Fertility

No information was located.

No information was located for: Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

Environmental information was not located.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

Special Precautions for User Please note: This product is NOT regulated as hazardous material by US DOT, Canadian TDG, IMDG, or IATA.

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Product Identifier: Palmer Fixture Blossom Urinal Screen

SDS No.: 0889

Date of Preparation: March 16, 2021

Safety, Health and Environmental Regulations

Canada

WHMIS Classification

Not a WHMIS controlled product.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL or are not required to be listed.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

SECTION 16. OTHER INFORMATION

NFPA Rating

Health - 0 Flammability - 0 Instability - 0

Date of Preparation

March 16, 2021

Disclaimer

This Safety Data Sheet has been prepared in accordance with the Globally Harmonized System for the Classification and Labeling of Chemical (GHS) TO the best of our knowledge the information herein is accurate. However, the supplier makes no warranty and assume no liability resulting from its use. In No event shall the supplier be liable for any claims, losses, or damages of any third party resulting from the use of or reliance upon this information.

Product Identifier: Palmer Fixture Blossom Urinal Screen

SDS No.: 0889

Page 05 of 05

Date of Preparation: March 16, 2021